



## Fertilisal S

### 1. Identification of the veterinary drug

WERAVET 1 Fertilisal S  
Liquid dilution for injection

For animals: : dogs and cats

### 2. Qualitative and quantitative composition

1 ampoule of 2 ml (2010.1 mg) contains:

#### Medically active ingredient:

Aristolochia clematidis Dil. C 30  
199,1 mg  
Cimicifuga racemosa Dil. C 30  
199,1 mg  
Pulsatilla pratensis Dil. C 30  
199,1 mg

#### Other components:

Sodium Chloride  
Water for injection

### 3. Pharmaceutical form

Liquid dilution for injection

### 4. Pharmacological and toxicological characteristics and, insofar as it serves the purpose for therapeutic use, specifications on pharmacokinetics

#### 4.1 Pharmacodynamic characteristics (including specifications on the substance or indication group; if applicable, ATC vet. Code)

Homeopathic drug

#### 4.2 Pharmacokinetic characteristics

No specifications

#### 4.3 Toxicological characteristics

##### *Acute toxicity, subchronic and chronic toxicity*

No examination results are available for the acute, subchronic and chronic toxicity of

Aristolochia clematidis Dil. C 30,  
Cimicifuga racemosa Dil. C 30 or  
Pulsatilla pratensis Dil. C 30

##### *Mutagenic and tumour-causing potential*

No examination results are available for the mutagenic and tumour-causing potential of

Aristolochia clematidis Dil. C 30,  
Cimicifuga racemosa Dil. C 30 or  
Pulsatilla pratensis Dil. C 30

##### *Reproductive toxicity*

No examination results are available for the reproductive toxicity of Aristolochia clematidis Dil. C 30, Cimicifuga racemosa Dil. C 30 or Pulsatilla pratensis Dil. C 30

### 5. Clinical specifications

#### 5.1 Target animal species

dogs and Cats

#### 5.2 Indications

The fields of application correspond to the veterinary-homeopathic drug pattern, and include:

- sterility treatment in dogs and cats
- acycilia
- deficient fertility in dogs
- inadequately pronounced oestrus phenomena

Use of the drug should not take place without the advice of a veterinarian and does not replace other drugs and measures prescribed by the veterinarian in this regard.

If the following signs appear, you should consult the veterinarian, since an illness which requires a veterinarian's diagnosis may be present:

- fever
- acute and strong inflammatory symptoms such as redness, heat, swelling, pain and dysfunction
- severe impairment of general well-being
- purulent or bloody discharge
- all types of vaginal discharge
- lasting, unclear, periodic or newly appearing complaints

In cases involving the clinical picture "sterility treatment of dogs and cats", the veterinary surgeon is to decide on the necessity of an allopathic or surgical treatment.

The use of WERAVET 1 Fertilisal S should take place with consideration of the homeopathic "simile principle". For this purpose, the consultation of a veterinarian for the purpose of determining the disease pattern (homeopathic anamnesis) is recommended.

In the following illnesses, WERAVET 1 Fertilisal S may be used only as supporting treatment:

- conditions of insufficiency due to reduced absorption or availability of nutrients required for life
- disorders which require surgical treatment, such as sterility due to congenital or acquired morphological changes in the sex organs

Prior to the commencement of treatment, the causes of the complaints should therefore be largely clarified.

#### 5.3 Contraindications

Not to be used in animals classed as food animals

#### 5.4 Side effects (type, frequency and degree of severity)

Note:

In treatment with a homeopathic drug, the existing complaints may temporarily worsen (initial worsening). In this case, you should terminate the use of the drug and consult the veterinarian.

#### 5.5 Special precautionary measures for use

Due to the risk of a parenteral application of a drug, the administration of a drug with the same method of acting which is licensed for oral or rectal application is to be preferred.

Indications for intravenous injections are:

- immediate occurrence of the effect
- local irritations of the tissues in subcutaneous or intramuscular injection, due to the components and/or amount of the preparation.

#### 5.6 Use during gestation and lactation

No examination results are available regarding the safety of using WERAVET 1 Fertilisal S during gestation and lactation.

Like all drugs, homeopathic drugs should only be used during gestation and lactation after consultation with the veterinarian.

#### 5.7 Interactions with other drugs and other interactions

The simultaneous administration of an incompatible drug which may negate the effect of WERAVET 1 Fertilisal S should be avoided. Please consult your veterinarian.

#### 5.8 Dosing with individual and daily specifications, type and duration of use

For intravenous, subcutaneous and intramuscular injection:

dogs	1-2 ml
cats	1-2 ml



## Fertilisal S

In acute conditions, the injection should be repeated after 1 – 2 days; otherwise, repetition takes place after 4 – 8 days.

In dogs normally 1-2 months before going on heat, still possible however if already on heat

Administration of the drug should not take place longer than to the complete healing of the animal: A homeopathic drug can trigger a disease pattern which corresponds to the homeopathic drug pattern (symptomatics) in healthy animals.

**5.9 Overdose (symptoms, emergency measures and antidote)**  
No specifications

**5.10 Special warnings for every target animal species**  
No specifications

**5.11 Waiting period**  
Not to be used in animals classed as food animals

**5.12 Special precautionary measures for the user**  
No specifications

### 6. Pharmaceutical specifications

**6.1 Incompatibilities**  
No specifications

### 6.2 Duration of shelf life

**6.2.1 of the finished drug in the undamaged container**  
5 years

**6.2.2 of the finished drug after the container is opened**  
Use immediately after opening. Opened ampoules must be discarded.

**6.2.3 after mixing the preparation, ready for use**  
Not applicable

**6.3 Special notes regarding storage**  
Do not store above 25 °C.

### 6.4 Type and content of the container (package sizes)

Original packaging with 10 and 40 ampoules à 2 ml (clear glass)

### 6.5 Special precautionary measures for the disposal of unused drugs or other special precautionary measures to avoid dangers to the environment

Not applicable

### 7. Name or company and address of the pharmaceutical entrepreneur

Dr. Assmann  
Veterinärspécialitäten GmbH  
Kehler Str. 7  
76437 Rastatt  
Germany  
[www.weravet.de](http://www.weravet.de)

### Also distributed by:

Biokanol Pharma GmbH  
Kehler Str. 7  
76437 Rastatt  
Germany  
Tel.: +49 7222-78679-0  
Fax: +49 7222-78679-9  
[www.biokanol.de](http://www.biokanol.de)

**8. License number**  
6158209.00.00

**9. Date of licensing / renewal**  
05.05.2003

**10. Prescription status / prescription drug in Germany**  
non prescription drug

**11. Date of the information**  
July 2003